CHITALDRUG DISTRICT.

Abstract Notification dated the 12th November 1937.

It is hereby notified for general information that the exclusive right of collecting and removal, up to 30th June 1939, of Thangadi and Kakke barks from all the Government unoccupied lands, etc., in Harihar Sub-Taluk of the Chitaldrug District will be resold at the District Headquarters by the Deputy Commissioner, Chitaldrug District, or the Senior Assistant Commissioner deputed by him, assisted by the District Forest Officer, Chitaldrug District, on the 6th December 1937, at the risk of the original purchaser who has failed to furnish the required security, execute the necessary agreements with sureties and to take possession of the bob; as per terms of the relative sale Notification.

The resale will commence at 2 P.M.

For other particulars, please see Notification No. E. 223-810-36, dated the 19th April 1937 of the Chief Conservator of Forests in Mysore, published on pages 565-568 of Part VI of the *Mysore Gazette*, dated the 22nd April 1937.

A. V. KESAVIENGAR,
District Forest Officer.

OFFICE OF THE ASSISTANT ENGINEER, HEADQUARTER RANGE, MYSORE.

Notification dated 11th November 1937.

1. Sealed tenders will be received at the Office of the Assistant Engineer, Headquarter Range, Mysore, up to 12 NOON on 30th November 1937 for constructing two rooms on the north side of Assembly Hall in Medical College, Mysore.

2. Tenders in the prescribed form obtainable from the Office of the Assistant Engineer, Headquarter Range, Mysore, on payment of rupee one for each form, should be addressed to the Assistant Engineer, Headquarter Range, and should be superscribed as "Tender for constructing two rooms on the north side of Assembly Hall in Medical College at Mysore." The name of the tenderer should also be superscribed on the sealed cover.

3. Each tender must be accompanied by a deposit of Rs. 950 (Nine hundred and fifty only) in cash as earnest money. The earnest money of the successful tenderer will be retained as security deposit for due fulfilment of the contract. (Cash amount will not carry any interest.)

4. The tenders will be opened in the presence of such tenderers who wish to be present on 30th November 1937 at 3 P.M. The final acceptance of the tender will rest with the Assistant Engineer, who does not bind himself to accept the lowest or any tender, or to assign any reasons whatever for the rejection of any.

5. The name of the successful tenderer will be posted on the Notice Board in the Assistant Engineer's Office in due course. Within eight days of the acceptance of the tender, the successful tenderer will be required to execute the agreement in the departmental schedule contract form, for the due fulfilment of the contract.

6. Failure to comply with the condition 5 above or to agree to carry out the work in accordance with the specifications and agreements in force will entail forfeiture of the earnest money.

7. Copies of contract documents, estimates and drawings may be seen at any time at the Office of the Assistant Engineer, Headquarter Range, Mysore, on all working days, between 11 A.M. and 5 P.M.

8. Specific rates should be given for each item in the schedule and the rates should be in rupees, annas and in multiples of three pies and expressed in words and figures.

9. Any rates or lumpsum amounts for the items not called for, if tendered by the tenderer, will not be taken notice of. The rates tendered should include all such lumpsum items.

10. No alterations which are made by the tenderers in the contract documents in the nomenclature of the sanctioned sub-heads will be recognised and if corrections are made, the tenders will be liable to rejection.

11. There should be no corrections or erasures in the tenders in the rates of items and any corrections made in the rates should be attested to and the number of corrections, if any, in each page noted at the foot of the same by the tenderer.

12. No reference should be made to the Public Works Department current schedule of rate

13. On the event of the tender being submitted by a firm, it must be signed separately severally by each member thereof or in the event of absence of any partner, it must be signe his behalf by a person holding power of attorney authorising him to do so.

14. When once the rates tendered have been accepted, they will not be revised unde circumstances. In regard to items of work not tendered, the rates to be proposed by the Engineer, Headquarter Range, Mysore, and approved by the Superintending Engine final and legally binding on the tenderer.

15. The quantities as estimated are only approximate and are liable to alterations, omissions, deductions or additions, at the discretion of the Assistant Engineer or his representative. The tendered rates will hold good for any quantity whether higher or lower than those estimated for.

16. The work should be completed as per departmental specifications for different items and handed over to the Public Works Department by the end of March 1938, failing which the Assistant Engineer may, at his discretion, levy a penalty up to Rs. 50 per day, which will be recovered from the contractor's outstandings for the period exceeded by him till the work is completed and handed over.

17. In all matters of dispute of any kind, not specially provided for in the agreement or of rates, penalties, measurements, quality of work, etc., the decision of the Chief Engineer shall be final and legally binding.

18. The earnest money of rejected tenders will be returned on surrender of the receipts originally granted, along with an application to the Assistant Engineer, Headquarter Range, Mysore

19. No claims for damages for delays caused by officers of the department in the execution of the work will be considered, whatever may be the reason for such delays. Contractors should bear this in mind when tendering for work. Extension of time due to delays caused by the departmental officers will however be considered on the merits of each case.

20. The contract should not be sublet.

21. All materials, tools, plant and machinery that will be supplied by the Assistant Engineer, in the interest of the work, shall be accepted by the tenderer at the rates fixed by the Assistant Engineer and the tenderer will pay the hire, etc., on machinery at the prescribed per cent per annum of the booked value of the tools and plant supplied from the date of taking over of tools and plant from the Stores to the date of return to the Stores, the dates considered being the dates of acknowledgments of the vouchers in each transaction.

22. The contractors should arrange for the payment of royalty and tolls.

Note.—(A) The contractors should at their own cost—

(1) provide rods, stakes, ropes and labours required in setting out the works,

(2) provide all necessary scaffolding, centering labour and appliance for hoisting,

(3) provide mortar mill and shed to keep materials under cover and also for workmen,

(4) arrange for protecting work during inclement weather,

(5) supply requisite temporary lights, water cisterns, water-shoots, coverings to masonry, tile pieces to steps, sieves, parahs or measures, shoring and other requisite protection during the progress of the work,

(6) supply all water required for work and workmen and shall provide latrines, drainages, etc.

(7) clean away all dirt, rubbish, superfluous materials and debris as they accumulate,

(8) provide arrangements for pumping and bailing from excavations and foundations, wherever and whenever necessary with their own pumping apparatus, including necessary leading drains, slump pits, etc.,

(9) wash floors at completion and leave the whole of the work and premises in a clean and orderly condition, etc.,

(10) afford facilities to any other parties employed upon the work, so that their work may proceed during the progress of the contract and give such persons the use of ordinary scaffolding and ladders.

Note.—(B) It is the business of the contractors to make their own arrangements for the quarries and supplies of materials.

23. The rates for wood-work for all works quoted should be based on the rates of the departmental supply as noted below. Only Mysore teak selected from the Mysore Government Depots must be used.

24. Work to the extent of Rs. 13,000 will have to be carried out each month.

Prevailing Government rates at Mysore Forest Depot for Mysore teak is as follows :—

	Rs. a. p.	
(1) Selected 1st class logs	2 8 0	per c.ft.
(2) Cut scantling of sizes 3″×4″ ..	3 4 0	„
(2*a*) Do 3″×5″ to 4″×7″ ..	3 12 0	„

Abstract of approximate estimated quantities for constructing extension to the North Wing in front of Sayyaji Rao Road for "Pharmocology Block, " Mysore.

Serial No.	Items of work	Unit	Rate	Quantity	Cost
			Rs. a. p.		Rs. a. p.
	A. GROUND FLOOR.				
1	Burnt Brick in lime mortar for superstructure	C.ft.		8,052	
2	Providing and fixing T.W. Doors of frames $5\frac{1}{2}'' \times 4\frac{1}{2}''$ and shutters $1\frac{1}{2}''$ thick, $\frac{1}{3}$ panelled and $\frac{2}{3}$ glazed with iron clamps, brass hinges, hooks, and Bombay Acme brass fittings with brass rim locks with key arrangements and brass finger plates, etc., complete	S.ft.		144	
3	T.W. windows with frames ($3'' \times 5''$) and $1\frac{1}{4}''$ thick, shutters panelled outside and glazed shutters inside in four halves without iron bars including Acme brass fittings, etc., complete	,,		144	
4	Cement concrete bed slabs (1 : 2 : 4) including fixing on mortar bed	C.ft.		60	
5	Burnt Brick in chunam mortar for Arch-work	,,		403	
6	Cement concrete slab for bases of pillars including fixing in cement mortar ..	,,		45	
7	Burnt stone slabs 6" thick, two lines dressed and fixed on mortar bed	S.ft.		234	
8	Providing and fixing R.S. girders of B.S.S. (tested) including hoisting and with one coat of anti-corrosive paint, etc., complete	Cwt.		123.34	
9	(*a*) Roofing with R.C.C. of broken granite jelly (1 : 2 : 4) and brick, the reinforcements being $\frac{3}{8}''$ bars for spans less than 10 feet, placed at $4\frac{1}{2}''$ apart centre to centre and with negative moment and distribution bars and 2" cross and longitudinal joints and with 3" layer of surki concrete and then 3" of cement stone jelly concrete and $\frac{1}{2}''$ thick cement plastering, including $\frac{1}{4}''$ thick coloured water proof cement at top, surface finished smooth and cut to tile pattern, etc., including ceiling, plastering, coving as per design, white-washing, etc., complete	Sqr.		65.00	
	(*b*) Do do with $\frac{1}{2}''$ reinforcement bars for spans more than 10 ft. with negative moment bars, etc., as per Bombay specification including $\frac{1}{4}''$ thick coloured water proof cement at top, surface finished smooth and cut to tile pattern, coving as per design, white washing, etc., complete	,,		60.34	
10	Flooring with $1\frac{1}{2}''$ cement concrete (1 : 2 : 4), jelly to be of granite metal, over 4" lime concrete with topping of red cement $\frac{1}{4}''$ thick, finished with ironite 2$\frac{1}{2}$ lbs. per square with all corners rounded and cut to tile pattern if required, etc., complete			20.00	

Serial No.	Items of work	Unit	Rate	Quantity	Cost
			Rs. a. p.		Rs. a. p.
11	Painting with two coats of superior Dulux paint or other approved tint	Sqr.		6·57	
12	Plastering with chunam mortar smooth including rounding of corners if necessary and the plaster on outer face being ground with yellow ochre to a cream tint complete	,,		73·53	
13	White and colour washing, two coats ..	,,		74·00	
14	Constructing cornice as per existing design alround	R.ft.		145	
15	Do 4½″ thick band cornice ..	,,		145	
16	Boxing up girders 22″×7″ and 20″×6½″ with terrace bricks in cement mortar and reinforcements with galvanized steel-tex tied from above and chunam plastering, white or colour washing, etc., complete.	,,		111	
17	Do do double girders do complete	,,		28	
18	Ornamental key stone as per existing design and size, complete including fixing ..	Each		6	
19	4½″×1″ mortar band or architrave cornice as per existing design alround the arches complete	R.ft.		225	
	B. First Floor.				
1	Burnt Brick in lime mortar for superstructure	C.ft.		6,775	
2	Providing and fixing T.W. doors and other details as specifically noted under ground floor, complete	S.ft.		144	
3	Providing and fixing T.W. windows and details as specifically written under ground floor	,,		144	
4	Cement concrete bed slabs 1 : 2 : 4 including fixing on mortar bed	C.ft.		42	
5	Burnt brick in lime mortar for archwork ..	,,		240	
6	Providing cement concrete slabs 9″ thick including fixing in cement mortar complete	C.ft.		45	
7	Burnt stone slabs 6″ thick, two lines dressed and fixed on mortar bed	S.ft.		175	
8	Providing and fixing R.S. girders of B.S.S. (tested) including hoisting and with one coat of anti-corrosive paint, etc., complete	Cwt.		112	
9	Roofing with R.C.C. of broken granite jelly (1 : 2 : 4) and brick, the reinforcements being ⅜″ bars for spans less than 10 feet, placed at 4½″ apart centre to centre and with negative moment and distribution bars and 2″ cross and longitudinal joints and with 3″ layers of surki and then 2″ of cement stone jelly concrete including two courses of flat tiles and ½″ thick top and ceiling plastered with coving as per design, with white-washing, etc., complete	Sqr.		23·28	
10	Painting two coats with superior Dulux paint or other approved tint ..	Sqr.		7·04	
11	Plastering with chunam mortar as per specific details under ground floor ..	,,		80·02	

Serial No.	Items of work	Unit	Rate	Quantity	Cost
			Rs. a. p.		Rs. a. p.
12	White and colour washing, two coats ..	S.qr.		80·02	
13	Constructing cornice as per existing design all round	R.ft.		145	
14	Constructing band cornice 4½" thick	,,		145	
15	Boxing up girders as per specific details under "Ground Floor"	,,		112	
16	Do do double girders ..	,,		28	
17	Ornamental key stone as per existing design and size	Each		6	
18	4½"×1' architrave cornice as per existing design, all round the arches complete	R.ft.		215	
19	Constructing balustrated parapet in cement mortar as per existing design complete	,,		135	
20	Constructing plain parapet wall in rear 9"×2½' as per existing design including plastering white or colour washing, etc., complete	,,		65	
21	Providing and fixing 4½" C.I. down take rain water pipes with gratings, heads, elbows, bends, etc., with required colour painting, two coats and necessary fixtures, etc., complete	,,		228	

M. A. RAMANUJAM,
Assistant Engineer.

GOVERNMENT OF MYSORE, STORES PURCHASE COMMITTEE, BANGALORE.

No. S. P. C. 11429-38, *dated 16th November* 1937.

To

The Firms dealing in Bullock Carts.

Enquiry No. 2598.

COUNTRY BULLOCK CARTS.

DEAR SIR/GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the attached schedule in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Country Bullock Carts" with the above enquiry number.

This enquiry will be closed on the 30th November 1937.

Schedule.

Item No.	Description of material offered	Quantity	Price quoted F. O. R.	Time of delivery
1	*Double bullock cart.*— Length 8½ ft. (frame) Breadth 2' 3" (between Pare), Wheel height 5' 3", Jali wood Hub, spokes and rims of teakwood, Axle 2 inches square. The tyre should be 5/8" thick×2 inches ..	One.	Chikmagalur Out Agency.	